

1	2001	2	1	1728	33.3RR	26.216	35.368	93.2	JSO	5	0.5	
1	2001	2	1	1821	14.7DD	47.853	-171.515	700.0	JOR	21	0.4	
1	2001	2	2	0841	39.1DD	-34.213	-161.185	13.7	JOR	4	0.0	
1	2001	2	2	0951	40.6RR	39.757	25.205	15.0	JSO	11	0.5	
1	2001	2	3	0029	1.6 L	27.679	34.182	114.0	JOR	3	0.1	3.8CJOR
1	2001	2	4	1605	47.2DD	-14.699	147.376	15.0	JOR	20	0.4	
1	2001	2	6	0214	29.7 L	29.777	34.805	82.4	JOR	5	0.8	2.7CJOR
1	2001	2	7	0338	57.0 L	29.328	34.982	16.0	JSO	15	0.2	4.3CJJO
1	2001	2	7	1516	25.4DD	54.511	158.495	639.6	JSO	26	0.4	
1	2001	2	8	1329	5.0 L	28.861	34.720	1.1	JOR	8	0.3	3.3CJOR
1	2001	2	8	1608	3.8 L	29.070	34.720	0.0	JOR	3	0.4	2.4CJOR
1	2001	211	0956	34.4RR	35.036	26.901	30.5		JSO	8	0.4	
1	2001	211	2311	39.5 L	29.432	34.983	7.6		JOR	4	0.1	2.5CJOR
1	2001	214	0338	35.7DD	-11.306	106.264	0.5		JOR	13	0.3	
1	2001	214	1337	14.2DD	49.381	156.106	0.1		JOR	20	0.2	
1	2001	214	1418	56.1DD	-83.598	62.620	33.6		JOR	11	0.7	
1	2001	216	0106	36.7 L	28.768	34.505	6.7		JOR	3	0.2	3.1CJOR
1	2001	216	0558	27.5DD	-13.766	124.599	15.0		JOR	20	0.4	
1	2001	218	0410	37.0RR	33.758	13.635	2.1		JSO	15	0.7	
1	2001	219	0823	32.7DD	17.844	81.543	0.0		JSO	9	0.5	
1	2001	219	1826	6.9 L	28.945	34.813	8.6		JOR	5	0.3	2.8CJOR
1	2001	221	1523	7.2DD	-5.159	98.109	0.2		JSO	8	0.3	
1	2001	221	1619	36.1 L	28.937	34.762	4.6		JOR	5	0.2	2.7CJOR
1	2001	221	2249	59.3DD	0.465	136.961	15.0		JSO	13	0.2	
1	2001	223	0009	57.5DD	25.667	109.345	677.4		JOR	16	0.7	
1	2001	223	2307	39.9 L	29.186	34.791	121.9		JOR	4	0.1	2.5CJOR
1	2001	223	2353	40.7DD	51.659	170.888	0.0		JSO	15	0.1	

1	2001	223	2353	43.4DD	-21.618	150.358	0.0	JSO	20	0.5	
1	2001	224	0723	29.1DD	-5.155	134.283	15.0	JSO	24	0.4	
1	2001	224	1843	44.1 L	28.816	34.638	21.1	JOR	5	0.4	3.1CJOR
1	2001	224	2154	0.9DD	33.261	143.666	2.9	JOR	14	0.8	
1	2001	224	2256	31.3DD	-2.522	134.677	27.9	JOR	15	0.4	
1	2001	225	0039	51.9 L	28.548	34.893	0.0	JOR	5	0.3	2.8CJOR
1	2001	225	0220	24.9DD	37.246	85.975	1.0	JSO	19	0.6	
1	2001	225	1544	42.8 L	29.318	34.865	1.7	JOR	3	0.1	3.0CJOR
1	2001	225	1719	28.5 L	29.344	34.778	1.5	JOR	4	0.9	2.8CJOR
1	2001	225	1819	43.1 L	29.283	34.870	9.0	JOR	8	0.5	3.0CJOR
1	2001	226	0545	1.9DD	-5.734	132.234	15.0	JSO	13	0.4	
1	2001	226	0557	48.1DD	46.181	149.893	1.6	JSO	20	0.2	
1	2001	226	0833	51.7 L	29.013	34.701	13.5	JOR	4	0.3	2.9CJOR
1	2001	226	0919	8.0DD	1.726	121.117	15.0	JSO	13	0.6	
1	2001	227	0425	0.8 L	28.838	34.777	12.6	JOR	6	0.4	3.0CJOR
1	2001	227	1213	28.5DD	-8.933	147.934	700.0	JSO	17	0.3	
1	2001	227	1808	15.2 L	30.297	35.315	15.8	JOR	11	0.3	2.6CJOR
1	2001	228	0941	50.7DD	19.210	77.694	700.0	JSO	10	0.6	
1	2001	228	1032	3.1DD	-16.987	175.650	700.0	JSO	14	0.3	
1	2001	228	1855	50.4DD	49.195	-120.835	460.7	JSO	22	0.6	
1	2001	3 1	0311	34.2DD	47.486	107.151	2.7	JSO	14	0.4	
1	2001	3 2	1153	33.3RR	35.602	27.509	15.0	JSO	11	0.8	5.1CJSO
1	2001	3 2	1610	19.1RR	35.287	24.794	0.0	JSO	16	0.7	5.6CJSO
1	2001	3 2	2026	44.3 L	29.744	34.479	14.5	JOR	6	0.4	2.6CJOR
1	2001	3 3	0608	56.7DD	-8.249	105.728	0.9	JOR	15	0.3	
1	2001	3 3	0732	6.7RR	35.413	27.533	31.2	JSO	16	0.6	5.0CJSO
1	2001	3 3	1840	33.8 L	29.735	35.085	11.6	JOR	4	0.6	1.9CJOR

1	2001	3	4	0935	21.5	L	28.894	34.734	1.5	JOR	7	0.3	3.0C	JOR	2.9W	JOR
1	2001	3	5	0220	6.9	RR	32.948	30.547	18.1	JSO	18	0.5	4.0C	JSO		
1	2001	3	5	1550	23.1	DD	34.680	86.771	0.2	JOR	19	0.4				
1	2001	3	6	0039	36.1	DD	-10.221	142.644	15.0	JOR	15	0.5				
1	2001	3	6	0109	33.5	DD	-2.415	154.974	15.0	JSO	12	0.7				
1	2001	3	7	1807	0.5	DD	-60.846	107.751	15.0	JSO	12	0.8				
1	2001	3	7	1823	14.8	DD	-1.764	153.108	15.0	JSO	13	0.1				
1	2001	3	8	1139	18.6	DD	-20.255	142.366	233.9	JSO	18	0.3				
1	2001	3	8	1528	59.2	DD	-33.684	162.273	1.8	JSO	14	0.6				
1	2001	3	8	2113	1.8	DD	-5.657	98.471	700.0	JSO	18	0.4				
1	2001	3	9	0808	2.3	DD	-1.527	154.008	15.0	JSO	12	0.4				
1	2001	3	9	2143	16.2	DD	8.728	163.535	0.0	JSO	15	0.4				
1	2001	310	1121	4.7	RR	35.216	26.086	0.0	JSO	22	0.6	5.5C	JSO			
1	2001	310	1127	17.3	RR	38.885	21.059	290.8	JSO	11	1.0	5.9C	JSO			
1	2001	311	0051	36.4	DD	-8.037	151.194	15.0	JOR	23	0.3					
1	2001	311	0324	32.9	L	29.799	35.048	0.1	JOR	5	0.0	2.2C	JOR			
1	2001	312	0033	22.1	L	29.173	34.888	6.5	JOR	3	0.2	2.2C	JOR			
1	2001	312	1724	54.7	L	29.827	35.037	0.8	JOR	4	0.4	2.1C	JOR			
1	2001	312	1401	21.7	DD	-35.898	178.066	15.0	JSO	15	0.6					
1	2001	312	2333	36.4	DD	-12.459	108.349	15.0	JOR	19	0.3					
1	2001	313	0025	5.6	DD	-41.429	162.034	0.1	JSO	8	0.5					
1	2001	313	0102	58.4	RR	34.072	25.758	30.7	JSO	12	0.8					
1	2001	313	1450	25.6	L	29.341	34.937	13.3	JOR	4	0.1	2.8C	JOR			
1	2001	313	2005	11.3	DD	16.864	116.513	626.6	JSO	24	0.4					
1	2001	314	0044	13.6	RR	32.968	32.542	67.3	JSO	13	0.4	3.7C	JSO			
1	2001	314	1855	15.1	DD	-2.574	116.804	0.4	JSO	16	0.6					
1	2001	315	1502	31.8	RR	28.306	34.241	8.3	JSO	12	0.4	3.7C	JSO			

1	2001	316	0125	36.9RR	33.997	27.094253.3	JSO	15	0.7	4.8CJ	JSO
1	2001	316	0134	15.0 L	30.224	35.264 13.3	JOR	7	0.2	2.3CJ	JOR
1	2001	316	0650	9.2 L	29.394	34.868 1.8	JOR	3	0.3	1.9CJ	JOR
1	2001	316	0659	14.4 L	29.411	34.939 2.0	JOR	3	0.4	2.3CJ	JOR
1	2001	316	0716	53.3DD	45.419	43.384 14.6	JSO	9	0.9		
1	2001	316	1151	6.6DD	-10.214	149.211 15.0	JOR	13	0.5		
1	2001	317	0724	2.3DD	47.209	153.451670.9	JSO	21	0.3		
1	2001	317	1844	10.7 L	29.852	35.777 15.0	JOR	3	0.1	2.1CJ	JOR
1	2001	317	1955	39.6 L	29.758	35.088 17.0	JOR	4	0.1	2.1CJ	JOR
1	2001	317	2010	33.5 L	29.738	35.043 10.0	JOR	5	0.2	1.9CJ	JOR
1	2001	318	1252	33.5 L	29.338	34.823 0.0	JOR	3	0.4	2.6CJ	JOR 2.5WJ
1	2001	319	0552	28.8DD	-3.684	121.859647.5	JSO	5	0.1		
1	2001	319	0728	36.6 L	29.736	34.937 10.0	JOR	4	0.6	1.9CJ	JOR
1	2001	319	2156	9.6RR	35.688	26.379 0.0	JSO	15	0.4	5.1CJ	JSO
1	2001	322	0439	56.7 L	28.364	35.001 10.5	JOR	10	0.5	3.5CJ	JOR
1	2001	323	0521	36.0RR	32.654	53.198 2.1	JSO	12	0.9		
1	2001	323	1128	34.1DD	42.398	150.272 0.1	JSO	18	0.2		
1	2001	324	0039	57.7 L	29.866	34.451 0.0	JOR	13	0.4	3.3CJ	JOR
1	2001	324	0226	34.1 L	30.015	34.768 0.0	JOR	3	0.5	3.1CJ	JOR
1	2001	324	0626	3.4DD	31.373	136.501 2.2	JSO	24	0.4		
1	2001	324	2123	6.6DD	37.891	142.828 0.1	JOR	12	0.4		
1	2001	328	1633	0.6RR	29.679	50.565 15.0	JSO	13	0.9	6.6CJ	JSO
1	2001	328	1915	41.0 L	29.075	34.902 8.5	JOR	5	0.3	2.5CJ	JOR
1	2001	330	1204	51.0 L	28.967	34.814 9.1	JOR	6	0.4	2.6CJ	JOR
1	2001	330	2026	13.9DD	1.440	156.893 15.0	JSO	14	0.4		
1	2001	331	1828	53.0DD	48.270	159.304 15.0	JOR	15	0.5		
1	2001	4 1	0046	3.2DD	51.329	160.837 0.1	JSO	15	0.2		

1	2001	4	1	1219	0.1	L	28.853	34.732	2.1	JOR	4	0.1	3.0	CJOR
1	2001	4	2	1127	30.8	RR	31.735	31.035	191.7	JSO	22	0.6	4.0	CJSO
1	2001	4	3	1659	32.2	RR	35.408	27.759	39.5	JSO	14	0.4	4.9	CJSO
1	2001	4	3	1733	22.5	DD	32.647	53.274	0.0	JSO	17	0.5		
1	2001	4	4	0319	25.5	L	29.134	34.798	1.4	JOR	5	0.2	2.4	CJOR
1	2001	4	5	0410	13.5	RR	34.410	25.366	61.1	JSO	13	0.7		
1	2001	4	6	0324	19.6	RR	35.944	26.881	19.7	JSO	14	0.8	5.1	CJSO
1	2001	4	7	0345	16.1	DD	46.671	153.705	629.8	JOR	19	0.5		
1	2001	4	7	2316	36.0	DD	-13.699	147.962	10.9	JSO	15	0.3		
1	2001	4	8	0457	25.9	L	29.514	34.941	18.7	JOR	7	0.1	2.3	CJOR
1	2001	4	8	1458	2.3	RR	34.716	36.537	31.0	JSO	9	0.6	3.4	CJSO
1	2001	4	9	0827	28.0	L	29.369	34.962	8.2	JOR	6	0.4	2.3	CJOR
1	2001	4	9	1735	39.2	RR	38.484	20.895	9.0	JSO	16	0.6		
1	2001	410	1356	55.7	RR	34.047	26.378	0.0	JSO	17	0.5	5.0	CJSO	
1	2001	411	0457	16.7	RR	38.355	15.379	6.6	JSO	12	0.4			
1	2001	411	2304	30.3	RR	35.558	27.759	0.0	JSO	17	0.7	5.0	CJSO	
1	2001	412	0658	7.8	DD	35.347	146.012	11.7	JOR	8	0.2			
1	2001	412	1043	14.3	DD	20.680	105.248	149.5	JSO	15	0.4			
1	2001	412	2305	20.1	DD	30.735	56.595	8.9	JSO	14	0.3			
1	2001	413	0101	6.9	DD	28.231	54.697	0.0	JSO	18	0.5			
1	2001	413	0207	20.9	DD	30.866	45.240	15.0	JSO	15	0.7			
1	2001	413	0452	46.0	DD	30.081	63.212	32.5	JSO	16	0.7			
1	2001	413	1431	58.1	DD	3.877	157.368	700.0	JSO	10	0.4			
1	2001	413	2120	29.0	L	29.785	34.660	33.0	JOR	4	0.1	3.1	CJOR	
1	2001	413	2312	42.3	DD	41.722	148.511	0.1	JSO	18	0.2			
1	2001	414	0216	30.6	DD	50.680	-118.521	0.0	JSO	10	0.2			
1	2001	414	2324	7.3	DD	26.739	139.211	6.1	JSO	19	0.3			

1	2001	426	1611	26.6DD	-6.947	99.477571.4	JSO	12	0.7	
1	2001	426	1750	42.9DD	41.314	148.913	0.5	JSO	22	0.3
1	2001	426	2101	30.9RR	26.463	34.222	0.1	JSO	10	0.8 4.3CJSO
1	2001	428	0008	9.8RR	34.921	23.301	0.0	JSO	15	0.7
1	2001	428	0054	58.9 L	28.774	34.737	2.4	JOR	7	0.4 2.8CJOR
1	2001	428	0451	7.9DD	-13.229	-161.470	0.1	JSO	25	0.5
1	2001	428	0708	49.9DR	34.809	32.083	30.8	JSO	10	0.5 3.9CJSO
1	2001	428	1039	33.7DD	26.909	91.083	0.0	JSO	18	0.4
1	2001	428	2157	2.8 D	-3.666	154.293	15.0	JOR	20	0.4
1	2001	429	0244	49.0DD	-19.785	-178.973700.0	0.0	JSO	15	0.4
1	2001	429	1059	26.8 L	29.192	34.796	0.0	JOR	6	0.3 2.8CJOR
1	2001	429	1243	34.7RR	35.878	35.276149.1	0.0	JSO	17	0.5 4.6CJSO
1	2001	429	1858	49.9RR	33.100	34.915	3.3	JSO	7	0.2 3.2CJSO
1	2001	429	2136	49.7RR	34.242	35.948	30.3	JSO	12	0.9 3.7CJSO
1	2001	430	0205	20.9DD	43.815	144.842661.8	0.0	JSO	17	0.6
1	2001	5 1	0602	59.6DR	35.675	27.608265.0	0.0	JSO	23	0.4 5.5CJSO
1	2001	5 2	0032	52.4 L	28.891	34.799	4.8	JOR	7	0.3 2.9CJOR
1	2001	5 3	0433	20.1DD	-6.336	132.833	15.0	JSO	16	0.3
1	2001	5 3	0729	37.4 L	28.896	34.898	9.2	JOR	6	0.4 3.0CJOR
1	2001	5 4	0530	28.9 L	29.473	34.954	10.0	JOR	9	0.3 2.3CJOR
1	2001	5 4	1952	21.7RR	37.960	14.069	3.3	JSO	18	0.8
1	2001	5 6	0520	37.4 D	4.820	159.575	15.0	JOR	24	0.4
1	2001	5 9	1546	34.4DD	39.815	-160.123	15.0	JOR	14	0.2
1	2001	5 9	1738	46.2DD	-6.901	149.642	15.0	JOR	14	0.5
1	2001	510	0348	17.9 L	28.801	34.829	0.0	JOR	7	0.4 3.0CJOR
1	2001	510	0352	48.0 L	28.842	34.747	0.0	JOR	6	0.8 3.0CJOR
1	2001	510	0556	53.0DD	-30.520	145.572	15.0	JSO	9	0.2

1	2001	510	0706	42.9	L	28.671	34.829	0.0	JOR	5	0.4	2.9	CJOR
1	2001	510	0802	13.9	L	28.799	34.785	0.0	JOR	5	0.4	3.0	CJOR
1	2001	510	0945	54.0	DD	-13.903	147.803	15.0	JSO	15	0.3		
1	2001	510	1055	18.9	L	28.787	34.856	0.0	JOR	5	0.4	3.4	CJOR
1	2001	510	1330	50.5	L	28.856	34.731	4.7	JOR	4	0.2	3.1	CJOR
1	2001	510	1341	4.8	L	28.726	34.598	0.0	JOR	5	0.4	3.3	CJOR
1	2001	510	1346	7.2	L	28.704	34.902	0.0	JOR	4	0.5	3.1	CJOR
1	2001	510	1655	20.5	L	28.817	34.795	0.0	JOR	5	0.3		
1	2001	510	1653	48.6	L	28.745	34.728	0.0	JOR	5	0.5	3.3	CJOR
1	2001	511	0458	29.6	L	28.862	34.744	2.4	JOR	5	0.1	3.0	CJOR
1	2001	511	0443	7.7	DD	-1.539	154.929	15.0	JSO	21	0.4		
1	2001	511	0535	25.4	L	28.982	34.778	15.9	JOR	4	0.1	2.5	CJOR
1	2001	511	1143	55.3	L	29.280	34.938	6.7	JOR	3	0.1	2.3	CJOR
1	2001	511	1552	15.7	L	29.371	34.834	2.3	JOR	3	0.7	2.5	CJOR
1	2001	511	1749	24.4	L	29.363	34.913	15.5	JOR	5	0.5	2.5	CJOR
1	2001	511	1825	59.7	L	29.403	34.877	1.6	JOR	4	0.1	2.8	CJOR
1	2001	511	2218	37.6	DD	-4.423	87.123	15.0	JSO	6	1.1		
1	2001	511	2359	58.1	L	29.414	34.857	2.9	JOR	5	0.7	2.8	CJOR
1	2001	512	0059	42.8	L	29.378	34.888	1.9	JOR	6	0.6	2.4	CJOR
1	2001	512	0314	31.5	L	29.350	34.947	0.0	JOR	7	0.6	2.7	CJOR
1	2001	512	1842	51.1	DD	48.808	160.311	6.8	JOR	18	0.2		
1	2001	512	1922	59.3	L	28.255	34.381	33.7	JOR	4	0.7	3.3	CJOR
1	2001	514	0233	14.8	DD	-22.093	161.546	0.5	JSO	19	0.4		
1	2001	514	0509	37.7	L	28.054	34.452	15.0	JOR	4	0.4	3.5	CJOR
1	2001	515	1340	48.4	RR	34.700	31.987	31.5	JSO	14	0.7	4.2	CJJSO
1	2001	516	1147	36.3	DD	-20.540	143.276	15.0	JSO	11	0.3		
1	2001	517	0436	1.7	L	28.824	34.769	2.9	JOR	4	0.2	2.7	CJOR

1	2001	517	1143	6.8DD	39.482	12.448	0.0	JSO	19	0.6	
1	2001	518	0208	44.4DD	15.656	74.746	0.1	JSO	11	0.5	
1	2001	518	0246	4.4DD	52.860	176.363	2.9	JSO	13	0.2	
1	2001	518	0621	26.5 L	29.457	34.952	11.8	JOR	3	0.1	2.1CJOR
1	2001	519	0235	29.0RR	34.597	31.969	0.0	JSO	18	0.5	4.3CJSO
1	2001	519	0300	3.4 R	35.421	35.080	249.9	JOR	5	0.5	4.8CJOR
1	2001	519	0353	2.7RR	35.013	32.506	108.6	JSO	8	0.8	3.9CJSO
1	2001	519	0554	19.0RR	34.865	32.205	154.4	JSO	13	0.6	4.1CJSO
1	2001	519	1736	37.7DD	1.231	157.528	14.0	JSO	22	0.4	
1	2001	521	0524	48.6DD	37.202	145.979	3.6	JOR	11	0.2	
1	2001	521	1843	24.8 L	29.186	34.755	0.0	JOR	5	0.2	2.8CJOR
1	2001	522	0154	28.9 L	29.155	34.848	21.8	JOR	4	0.5	2.6CJOR
1	2001	522	0913	51.4DD	36.353	79.663	0.4	JOR	15	0.3	
1	2001	523	1511	10.1RR	35.507	27.501	201.5	JSO	18	0.6	5.2CJSO
1	2001	523	2109	31.7DD	22.295	108.476	4.3	JSO	15	0.2	
1	2001	524	1808	8.5DD	-42.337	133.917	0.1	JOR	15	0.5	
1	2001	525	0040	20.9DD	42.906	152.422	15.0	JSO	25	0.4	
1	2001	525	0153	18.5DD	42.195	150.617	0.0	JOR	9	0.2	
1	2001	525	0505	34.8DD	-11.319	109.907	15.0	JSO	22	0.5	
1	2001	525	0654	38.5DD	30.425	138.301	0.0	JSO	10	0.5	
1	2001	525	0823	42.3DD	42.380	149.947	3.2	JSO	15	0.1	
1	2001	525	2223	28.7DD	-27.996	139.328	15.0	JSO	16	0.5	
1	2001	526	0111	23.0RR	34.832	23.998	30.5	JSO	13	0.6	
1	2001	526	0234	59.2DD	3.465	158.648	15.0	JSO	12	0.6	
1	2001	526	0306	44.8RR	26.545	34.849	31.9	JSO	14	0.5	4.1CJSO
1	2001	526	0602	37.5DD	36.644	19.338	15.0	JSO	16	0.6	
1	2001	526	1231	13.8 L	29.244	34.821	26.4	JOR	3	0.1	2.3CJOR

1	2001	526	1602	28.2	L	28.999	34.791	20.4	JOR	4	0.0	2.2	CJOR
1	2001	527	0525	17.8	L	29.158	34.870	23.4	JOR	5	0.4	2.7	CJOR
1	2001	528	0830	25.3	DD	-4.381	-167.880	15.0	JSO	10	0.5		
1	2001	528	2219	35.2	RR	28.198	33.086	0.0	JSO	6	0.5	3.4	CJJO
1	2001	529	0443	13.8	RR	35.515	27.385	85.9	JSO	21	0.6	5.3	CJJO
1	2001	529	1312	47.5	RR	39.852	50.744	12.4	JSO	10	1.1	6.2	CJJO
1	2001	529	1414	4.3	RR	44.205	45.859	15.2	JSO	8	1.1		
1	2001	531	1905	52.7	L	29.145	34.841	0.0	JOR	5	0.3	2.9	CJOR
1	2001	6 2	1429	53.4	L	28.786	34.688	0.9	JOR	4	0.6	3.2	CJOR
1	2001	6 3	0242	38.2	DD	-11.720	149.948	0.3	JSO	21	0.6		
1	2001	6 3	0529	13.0	L	30.392	35.538	9.4	JOR	11	0.4	2.9	CJOR
1	2001	6 3	2221	3.4	DD	-10.869	150.515	6.3	JSO	14	0.3		
1	2001	6 3	2358	41.8	DD	30.662	46.028	15.0	JSO	5	0.5		
1	2001	6 4	1802	37.9	L	28.814	34.819	0.0	JOR	5	0.4	3.8	CJOR
1	2001	6 4	1927	59.2	L	28.707	34.893	2.0	JOR	4	0.1	3.7	CJOR
1	2001	6 4	1940	42.7	L	28.763	34.742	0.0	JOR	4	0.4	2.7	CJOR
1	2001	6 4	2035	32.3	L	28.824	34.795	0.0	JOR	5	0.4	3.3	CJOR
1	2001	6 5	1528	49.8	DD	68.537	77.115	1.3	JSO	11	0.9		
1	2001	6 6	1400	37.7	RR	35.836	22.827	1.0	JSO	8	0.6		
1	2001	6 7	1526	27.1	L	28.855	34.621	15.1	JOR	3	0.3	2.7	CJOR
1	2001	6 8	1047	56.6	L	28.809	34.733	0.0	JOR	6	0.3	3.1	CJOR
1	2001	6 8	2308	5.1	DD	-23.645	142.776	15.0	JSO	14	0.3		
1	2001	6 9	0122	5.9	DD	63.758	-27.063	0.0	JSO	8	0.5		
1	2001	610	0152	6.6	DD	39.061	53.005	0.1	JSO	16	0.5		
1	2001	610	1310	32.6	RR	38.756	23.994	15.0	JSO	22	0.9	4.7	CJJO
1	2001	611	0030	49.1	RR	34.406	23.282	15.0	JSO	14	0.8		
1	2001	612	1136	45.7	L	29.478	35.034	2.4	JOR	3	0.1	2.2	CJOR

1	2001	612	1343	17.6RR	29.783	31.577	15.0	JSO	18	0.3	4.2CJ	JSO
1	2001	612	2147	39.1 L	29.318	34.809	1.8	JOR	6	0.6	2.6CJ	JOR
1	2001	612	2226	24.4DD	4.756	160.023	15.0	JSO	20	0.6		
1	2001	612	2241	1.7DD	42.915	150.844	7.1	JSO	18	0.3		
1	2001	613	1229	9.0DD	-40.955	132.910	15.0	JOR	4	0.2		
1	2001	613	1226	59.0DD	2.827	158.292	15.0	JSO	13	0.6		
1	2001	613	1317	10.2DD	21.405	125.532	0.1	JSO	14	0.2		
1	2001	614	0235	18.2DD	21.667	127.819378.0		JSO	19	0.4		
1	2001	614	0246	27.3RR	35.333	24.578	0.1	JSO	15	1.2	5.4CJ	JSO
1	2001	614	1707	59.4DD	-0.388	156.155	15.0	JSO	19	0.4		
1	2001	614	1947	54.6DD	42.613-177.131		15.0	JSO	14	0.6		
1	2001	615	0543	8.8 L	29.360	34.930	11.4	JOR	4	0.1	2.4CJ	JOR
1	2001	615	1039	47.4DD	2.806	89.849700.0		JSO	6	0.2		
1	2001	615	1619	38.9DD	17.225	49.221	1.4	JSO	20	0.6		
1	2001	615	2134	33.2DD	5.879	160.267	11.0	JSO	18	0.5		
1	2001	616	0214	34.8DD	12.852	165.173	30.4	JSO	12	0.6		
1	2001	616	1504	34.1RR	33.827	32.465	68.4	JSO	21	0.3	3.9CJ	JSO
1	2001	616	2216	52.8RR	28.073	32.519	0.0	JSO	8	0.6	3.6CJ	JSO
1	2001	617	0902	5.6 L	29.472	35.063	3.8	JOR	5	0.1	2.1CJ	JOR
1	2001	618	0546	27.8DD	27.339	56.155	14.9	JSO	10	0.4		
1	2001	619	0750	20.0 L	29.392	34.838	1.4	JOR	5	0.1	2.6CJ	JOR
1	2001	619	1203	24.3 L	29.459	35.054	2.3	JOR	5	0.3	2.1CJ	JOR
1	2001	620	0004	2.04D	44.894	156.526	51.4	JSO	21	0.4		
1	2001	620	0026	17.4DD	41.684	155.294	13.7	JSO	11	0.3		
1	2001	620	0116	55.04D	43.409	170.847	13.0	JSO	9	0.2		
1	2001	620	0236	17.84D	43.039	176.827	15.0	JSO	12	0.3		
1	2001	620	0452	22.2 L	29.653	34.593	13.6	JOR	4	0.1	2.7CJ	JOR

1	2001	621	0223	28.0DD	44.120	156.184	8.7	JSO	13	0.4	
1	2001	621	1429	52.0 L	29.186	34.832	5.8	JOR	4	0.2	2.6CJOR
1	2001	622	1129	56.1RR	35.097	28.885	29.9	JSO	12	0.6	4.7CJSO
1	2001	622	1153	42.9RR	38.811	27.259	0.0	JSO	13	0.6	5.4CJSO
1	2001	623	0651	43.1RR	35.151	28.892	0.0	JSO	21	0.3	5.5CJSO
1	2001	623	1432	27.4DD	-5.751	131.706	15.0	JOR	15	0.5	
1	2001	623	2045	37.2RR	31.083	8.504	15.0	JSO	7	0.7	
1	2001	624	1319	58.74D	43.255	151.645	0.0	JSO	25	0.2	7.5WJSO
1	2001	625	0002	50.5RR	35.556	29.273394.0		JSO	9	0.5	4.9CJSO
1	2001	625	1329	9.1RR	37.464	36.640203.7		JSO	19	0.4	5.4CJSO
1	2001	625	1732	6.34R	27.726	34.537141.3		JSO	4	0.3	4.1CJSO
1	2001	625	1838	39.0 L	28.724	34.667	15.7	JOR	3	0.2	2.9CJOR
1	2001	625	1847	24.1 L	28.740	34.657	15.1	JOR	3	0.2	2.8CJOR
1	2001	626	0027	55.2DD	-11.003	142.297	15.1	JSO	11	0.1	
1	2001	626	0419	3.8DD	-57.442	117.385	15.0	JOR	10	0.7	
1	2001	626	0947	18.4DD	44.236	147.610372.3		JSO	18	0.2	
1	2001	626	1118	9.0 L	28.812	34.773	0.0	JOR	9	0.4	3.1CJOR
1	2001	626	1328	47.5 L	27.934	34.553	28.4	JOR	4	0.6	3.4CJOR
1	2001	627	0837	0.2 L	29.500	34.994	2.3	JOR	5	0.2	1.7CJOR
1	2001	628	0719	3.9 L	29.616	34.958	19.5	JOR	4	0.2	1.8CJOR
1	2001	629	0123	6.7 L	27.536	34.215	33.4	JOR	5	0.1	3.9CJOR
1	2001	629	0311	55.9 L	31.606	35.614	19.0	JOR	12	0.5	2.6CJOR 3.3WJOR
1	2001	629	0402	54.7RR	26.393	35.327	41.3	JSO	10	0.2	4.1CJSO
1	2001	630	0611	51.6RR	39.430	14.493	4.7	JSO	15	0.6	
1	2001	7 1	0146	35.3 L	28.801	34.601	15.4	JOR	4	0.6	2.8CJOR
1	2001	7 1	0616	51.7 L	28.887	34.860	6.2	JOR	4	0.4	2.5CJOR
1	2001	7 2	0556	6.6DD	26.034	132.953	0.0	JSO	9	0.5	

1	2001	7	2	2323	14.0	DD	-11.367	106.229	0.2	JSO	12	0.4		
1	2001	7	3	1241	49.6	L	29.548	35.060	2.1	JOR	4	0.4	2.2	CJOR
1	2001	7	3	1310	34.8	DD	17.633	148.435	496.9	JSO	23	0.2		
1	2001	7	3	1553	8.2	L	29.262	34.810	15.4	JOR	3	0.1	2.5	CJOR
1	2001	7	3	2035	39.8	L	28.327	34.611	14.9	JOR	5	0.6		
1	2001	7	3	2140	2.23	L	31.639	35.511	14.6	amr	12	0.4	2.9	Camr
1	2001	7	3	2356	13.5	L	29.448	34.917	8.4	JOR	4	0.4	2.1	CJOR
1	2001	7	4	0711	34.0	DD	-8.551	143.276	15.0	JSO	24	0.7		
1	2001	7	5	0143	5.6	DD	31.828	126.313	595.3	JSO	12	0.3		
1	2001	7	5	0345	36.9	DD	16.560	160.424	15.0	JSO	10	0.4		
1	2001	7	6	1132	30.6	DD	38.221	170.810	15.0	JSO	9	0.2		
1	2001	7	7	0937	40.5	DD	-44.289	-106.342	15.0	JSO	14	0.9		
1	2001	7	8	2225	37.5	L	28.603	34.735	0.0	JOR	6	0.3	3.2	CJOR 3.6
1	2001	7	8	2302	13.8	L	28.581	34.759	0.0	JOR	4	0.2	2.9	CJOR
1	2001	7	9	0449	38.1	DD	-11.461	128.837	29.8	JSO	7	0.5		
1	2001	7	9	0645	25.0	L	29.392	34.929	2.0	JOR	4	0.3	2.1	CJOR
1	2001	7	10	2105	27.8	DD	2.401	155.602	15.0	JSO	12	0.3		
1	2001	7	10	2141	6.0	RR	40.369	50.043	0.0	JSO	12	0.7	6.3	WJSO
1	2001	7	11	1511	51.2	DD	2.613	156.843	10.1	JSO	22	0.4		
1	2001	7	11	2102	20.6	L	31.457	35.607	0.0	JOR	9	0.8	3.0	CJOR
1	2001	7	12	0612	29.0	DD	-6.344	-11.861	0.3	JSO	14	0.3		
1	2001	7	12	0824	48.2	L	29.493	35.038	1.9	JOR	3	0.1	2.1	CJOR
1	2001	7	12	0925	24.4	L	28.846	34.873	0.0	JOR	9	0.4	3.3	CJOR
1	2001	7	13	0644	54.9	L	28.363	34.252	34.5	JOR	3	0.5	3.4	CJOR
1	2001	7	13	1720	28.2	L	28.301	34.671	0.0	JOR	4	0.5	3.2	CJOR
1	2001	7	13	1947	56.1	DD	26.226	-46.395	0.3	JSO	17	0.4		
1	2001	7	14	1613	50.6	RR	28.306	32.764	0.0	JSO	3	0.5	3.6	CJJO

1	2001	714	2142	33.4DD	15.417	54.454	15.0	JSO	15	0.5	
1	2001	716	2041	54.4 L	28.878	34.899	23.0	JOR	5	0.5	
1	2001	717	1458	60.0DD	11.237	128.303	7.4	JSO	6	0.5	
1	2001	717	2101	5.5 L	29.270	34.898	0.0	JOR	10	0.4	3.2CJOR
1	2001	717	2101	18.2 L	29.314	34.969	0.0	JOR	5	0.5	3.3CJOR
1	2001	719	2011	45.4DD	-21.330	-171.666	0.0	JSO	13	0.3	
1	2001	719	2101	27.0DD	31.646	155.827	3.0	JSO	7	0.3	
1	2001	720	0133	38.8 L	28.875	34.738	1.7	JOR	4	0.2	2.7CJOR
1	2001	720	0947	24.8DD	7.409	121.520700	0.0	JSO	13	0.4	
1	2001	720	1049	33.8DD	-14.979	146.477	8.1	JSO	13	0.2	
1	2001	721	1247	24.1DD	38.869	22.490	10.8	JSO	10	0.3	
1	2001	723	0102	36.4DD	-4.679	152.937	0.2	JSO	16	0.4	
1	2001	723	1247	8.7DD	12.990	118.946	15.0	JSO	15	0.3	
1	2001	725	2156	26.7DD	-1.850	122.830	0.2	JOR	15	0.7	
1	2001	725	2259	44.5RR	31.496	35.113	0.0	JSO	16	0.3	3.1CJSO
1	2001	726	0021	15.4DD	40.154	21.553	0.0	JSO	20	0.6	
1	2001	726	0034	52.7DD	38.837	22.257	10.0	JSO	16	0.4	
1	2001	728	0733	15.2DD	54.293	-152.335553	9	JSO	18	0.5	
1	2001	729	0222	32.2 L	28.882	34.721	2.7	JOR	3	0.1	2.8CJOR
1	2001	730	0159	19.5 L	28.658	34.691	0.0	JOR	5	0.3	3.0CJOR
1	2001	730	0202	22.3 L	28.585	34.649	4.0	JOR	3	0.1	3.0CJOR
1	2001	731	0457	44.9DD	25.194	158.028	15.0	JSO	7	0.4	
1	2001	731	0656	23.1DD	-14.928	-175.190	0.5	JSO	16	0.5	
1	2001	731	0943	25.1DD	-5.199	98.816	15.0	JSO	10	0.2	
1	2001	731	1509	38.7DD	-11.185	141.837	15.0	JSO	19	0.4	
1	2001	731	2134	33.8RR	34.683	35.790	15.0	JSO	11	0.4	3.2CJSO
1	2001	731	2355	38.8DR	36.126	19.301	15.0	JSO	12	0.4	

1	2001	8	1	0646	53.8DD	46.471	95.043	2.6	JSO	8	0.7	
1	2001	8	2	2032	31.8DD	-4.408	135.456	15.0	JSO	10	0.5	
1	2001	8	2	2340	44.3DD	56.435	166.120	0.1	JSO	18	0.4	
1	2001	8	3	0236	2.1 L	29.778	34.582	0.2	JOR	6	0.2	2.8CJOR
1	2001	8	4	1530	5.7 L	28.903	34.870	0.0	JSO	16	0.5	3.8CJJO
1	2001	8	4	1604	15.0 L	28.857	34.738	0.7	JOR	6	0.3	2.7CJOR
1	2001	8	4	1658	44.8 L	28.899	34.933	8.1	PRO	5	0.2	2.9CPRO
1	2001	8	5	0517	4.5DD	12.565	91.120664.6		JSO	11	0.5	
1	2001	8	6	0353	41.4DD	-65.567	131.528	0.1	PRO	12	1.0	
1	2001	8	6	0356	48.5DD	-47.557	140.412	0.0	JSO	9	0.5	
1	2001	8	7	0322	11.3DD	-10.683	111.350	5.3	PRO	13	0.4	
1	2001	8	8	0804	59.7RR	27.915	34.113	31.3	JSO	6	0.8	3.7CJJO
1	2001	8	8	2334	24.1RR	43.140	39.447	15.0	JSO	10	0.5	5.5CJJO
1	2001	8	9	0028	31.8 L	29.942	35.209	6.3	JOR	7	0.2	2.4CJOR
1	2001	8	9	0310	9.0DD	-30.452	175.288700.0		JSO	14	0.3	
1	2001	811	1853	58.9 L	29.034	34.871	6.8	JOR	4	0.1	2.6CJOR	
1	2001	812	0039	5.0DD	52.081	44.869	15.0	PRO	8	0.8		
1	2001	812	0158	49.0DD	23.402	90.855700.0		JSO	11	0.3		
1	2001	812	0900	14.4DD	-15.937-158.891446.4			JSO	9	0.4		
1	2001	812	1104	10.4DD	28.918	51.895	0.1	JSO	16	0.6		
1	2001	812	1203	25.2DD	-10.320	111.362	3.8	JSO	9	0.2		
1	2001	813	2010	39.5DD	39.162	144.982	1.3	JSO	17	0.2		
1	2001	814	0033	7.0DD	-25.790	138.726700.0		JSO	12	0.5		
1	2001	814	2120	31.7DD	31.065	58.623458.2		JSO	12	0.3		
1	2001	815	0923	3.1RR	34.794	31.965	35.9	JOR	10	0.9		
1	2001	815	1507	49.5DD	-5.026	152.204	15.0	JSO	14	0.8		
1	2001	816	0840	34.4RR	33.627	25.887	0.0	PRO	11	0.6		

1	2001	817	0044	13.5RR	35.130	36.064185.8	PRO	7	0.6	3.5C	PRO
1	2001	817	1550	42.7 L	29.172	34.863 1.6	JOR	4	0.3	2.5C	JOR
1	2001	817	2227	2.9DD	24.500	124.859579.6	JSO	12	0.4		
1	2001	818	0033	41.0DD	35.781	20.052251.2	JSO	10	0.3		
1	2001	818	0548	53.0RR	26.499	33.455 0.0	PRO	8	0.2	3.9C	PRO
1	2001	818	0847	38.3RR	33.673	28.865 0.0	JOR	10	0.5	6.0C	JOR
1	2001	820	0412	46.9DD	20.645	141.287700.0	PRO	12	0.6		
1	2001	820	1724	48.7RR	27.552	34.292 0.0	JOR	14	0.6	4.6C	JOR
1	2001	820	1805	1.0RR	27.033	34.011 0.0	PRO	6	0.5	3.8C	PRO
1	2001	821	0651	56.6DD	-36.257	-162.977 0.2	PRO	16	0.4		
1	2001	824	2141	6.4DD	-30.651	101.174 4.7	PRO	11	0.6		
1	2001	825	0947	47.2DD	35.683	52.130 0.0	PRO	9	0.8		
1	2001	825	1929	58.6DD	-1.397	116.946 1.0	PRO	12	0.5		
1	2001	825	2041	25.0DD	-22.802	145.733 3.9	PRO	6	0.3		
1	2001	825	2329	51.0DD	30.140	56.376156.3	PRO	8	0.5		
1	2001	826	0040	32.4DD	44.191	28.646 15.0	PRO	12	0.4		
1	2001	827	1613	9.0 L	28.805	34.762 0.0	JOR	4	0.3	2.7C	JOR
1	2001	828	0511	20.5RR	34.615	34.099 81.3	PRO	14	0.7	3.9C	PRO
1	2001	828	0750	21.1 L	28.994	34.835 0.0	JOR	8	0.5	3.0C	JOR
1	2001	828	0852	51.1RR	26.835	34.662 0.0	PRO	11	0.9	4.3C	PRO
1	2001	828	1740	45.6DD	-12.945	-11.912 15.0	PRO	6	0.3		
1	2001	828	1941	30.5DD	36.116	63.612 14.9	PRO	9	0.4		
1	2001	830	0619	10.9RR	34.388	28.371 20.7	PRO	13	0.6	4.6C	PRO
1	2001	830	2128	26.5DD	37.970	20.092 15.0	PRO	10	0.9		
1	2001	830	2238	7.5DD	-31.325	137.583 15.0	PRO	11	0.4		
1	2001	830	2310	26.6RR	34.231	27.725 11.0	PRO	10	0.6		
1	2001	831	1708	44.8DD	4.415	130.784700.0	PRO	11	0.1		

1	2001	9	1	1922	36.4RR	35.667	33.609	68.1	PRO	19	0.3	4.5C	PRO
1	2001	9	1	2236	22.0RR	33.802	58.325	0.0	PRO	12	0.5		
1	2001	9	1	2334	7.2DD	-3.084	128.1746	71.8	PRO	13	0.2		
1	2001	9	2	0003	5.5RR	36.246	32.834	0.0	PRO	18	0.4	4.5C	PRO
1	2001	9	2	1546	6.0DD	13.111	53.572	15.0	PRO	7	0.5		
1	2001	9	2	1746	41.6DD	44.769	56.174	15.0	PRO	9	0.8		
1	2001	9	2	2141	16.8RR	43.124	44.215	24.5	PRO	16	0.3	6.2C	PRO
1	2001	9	5	1414	41.1 L	29.386	34.963	1.5	JOR	4	0.4	2.6C	JOR
1	2001	9	5	1635	45.7 L	29.334	34.840	0.0	JOR	6	0.5	2.9C	JOR
1	2001	9	6	1523	27.9RR	34.123	36.246	5.2	PRO	11	0.5	3.5C	PRO
1	2001	9	7	0245	50.0DD	-15.998	96.358	0.0	PRO	16	0.3		
1	2001	9	8	1915	53.6RR	49.237	24.690	0.5	PRO	11	0.8		
1	2001	912	0847	38.7DD	-0.020	155.900	2.7		PRO	24	0.4		
1	2001	912	2222	29.9DD	13.177	156.9047	00.0		PRO	17	0.3		
1	2001	913	0017	38.7DD	-5.848	151.824	15.0		PRO	16	0.3		
1	2001	913	0347	31.5DD	-0.069	155.304	0.0		PRO	15	0.2		
1	2001	913	1541	58.8RR	35.425	25.9171	51.2		PRO	21	0.2	5.6C	PRO
1	2001	914	1147	32.5DD	-18.093	144.729	0.0		JOR	16	0.3		
1	2001	916	0159	44.6RR	36.673	20.965	6.6		PRO	19	0.5	6.0C	PRO
1	2001	916	0445	57.1DD	41.938	-107.516	15.0		PRO	7	0.4		
1	2001	916	0444	15.3DD	-39.544	-141.375	7.7		PRO	9	0.3		
1	2001	916	0455	20.7DD	6.257	105.877	8.6		PRO	8	0.5		
1	2001	916	0538	39.2RR	34.795	33.501	89.4		PRO	10	0.5	3.7C	PRO
1	2001	916	2236	10.8RR	34.416	34.187	15.0		PRO	6	0.3	3.5C	PRO
1	2001	917	1111	42.0DD	51.799	166.081	0.1		PRO	11	0.3		
1	2001	917	1839	18.6RR	40.549	26.8972	66.3		PRO	14	0.5	5.5C	PRO
1	2001	920	0120	30.3DD	42.656	13.0562	75.4		PRO	8	0.9		

1	2001	10	8	0618	21.7DD	46.617	-64.693	0.1	JOR	8	0.4		
1	2001	10	8	1124	37.7 L	30.455	35.303	17.4	JOR	22	0.3	4.0C	JOR 3.9W
1	2001	10	8	1136	59.4RR	36.760	28.381	322.2	PRO	16	0.7	5.1C	PRO
1	2001	10	8	1813	1.4DD	54.453	166.530	5.8	JOR	21	0.4		
1	2001	10	8	1820	30.5DD	52.782	161.067	700.0	JOR	22	0.4		
1	2001	10	8	1844	36.1RR	34.540	32.020	0.0	PRO	9	0.4	4.3C	PRO
1	2001	10	9	1745	20.3DD	-8.858	154.451	0.0	PRO	14	0.2		
1	2001	10	9	2020	51.4DD	62.899	19.307	643.9	PRO	5	0.5		
1	2001	10	9	2011	57.8DD	-0.278	155.437	15.0	JOR	7	0.6		
1	2001	10	9	2040	42.8DD	-17.059	-158.753	9.4	JOR	7	0.8		
1	2001	10	9	2352	35.9DD	49.862	152.478	15.0	JOR	17	0.4		
1	2001	1010	0132	36.3DD	54.728	161.565	636.5		PRO	17	0.4		
1	2001	1010	0244	5.8RR	25.893	34.922	15.0	JOR	7	0.6	4.9C	JOR	
1	2001	1010	0302	51.7DD	29.977	55.082	0.1	PRO	7	0.7			
1	2001	1010	0333	45.4DD	-15.317	146.453	0.8	PRO	15	0.3			
1	2001	1010	0707	36.6DD	-5.802	151.953	15.0	PRO	11	0.5			
1	2001	1010	1127	39.0DD	50.089	155.773	1.8	PRO	11	0.3			
1	2001	1010	1617	16.8DD	-14.869	159.406	0.3	PRO	14	0.3			
1	2001	1011	0415	51.1RR	30.098	34.420	3.1	JOR	7	0.3	3.2C	JOR	
1	2001	1011	1022	11.4 L	29.513	35.093	27.3	JOR	4	0.7	2.5C	JOR	
1	2001	1012	0000	22.8DD	-41.540	-153.922	1.5	PRO	9	0.2			
1	2001	1012	0501	41.3DD	55.901	-117.883	0.0	PRO	13	0.3			
1	2001	1012	1501	5.2DD	11.805	142.200	15.0	PRO	23	0.4			
1	2001	1013	0159	53.6 L	28.818	34.648	11.7	JOR	4	0.2	2.8C	JOR	
1	2001	1013	1624	52.0DD	-6.519	134.211	15.0	PRO	17	0.3			
1	2001	1013	2050	27.4 L	29.774	34.425	15.0	JOR	8	0.2	3.0C	JOR	
1	2001	1014	0108	59.2DD	-13.034	113.081	15.0	PRO	17	0.6			

1	2001	1014	0358	13.8DD	-8.921	-58.678	86.1	PRO	9	0.6	
1	2001	1014	0953	34.1 L	29.722	35.053	20.9	JOR	5	0.1	2.2CJOR
1	2001	1015	0026	0.1RR	34.568	33.225	0.0	PRO	7	0.4	3.6CPRO
1	2001	1015	0348	1.7DD	-37.888	-170.736	15.0	JOR	11	0.4	
1	2001	1015	0848	31.7DD	39.285	15.079	132.9	PRO	8	0.5	
1	2001	1016	0736	32.5RR	29.949	31.611	0.0	PRO	6	0.3	3.6CPRO
1	2001	1018	1549	23.9RR	35.668	35.379	15.0	PRO	20	0.7	
1	2001	1019	0328	30.1DD	-6.614	122.953	700.0	PRO	17	0.5	
1	2001	1019	1300	15.6DD	-6.340	12.958	0.6	PRO	16	0.3	
1	2001	1021	0028	31.2DD	-37.424	159.679	15.0	PRO	18	0.5	
1	2001	1021	0035	27.9DD	-42.141	-134.581	15.0	PRO	9	0.3	
1	2001	1021	0250	51.3DD	-42.085	-175.565	15.0	PRO	10	0.4	
1	2001	1021	0337	24.8DD	-7.073	144.354	15.0	PRO	12	0.4	
1	2001	1021	1236	43.3DD	5.794	126.564	637.7	PRO	8	0.4	
1	2001	1022	0645	16.7DD	-2.786	155.224	15.0	PRO	20	0.3	
1	2001	1023	0038	24.9DD	-0.159	135.555	15.0	PRO	16	0.4	
1	2001	1023	1620	22.3DD	-9.149	117.702	80.3	PRO	10	0.1	
1	2001	1023	2303	9.6DD	-23.515	143.643	0.3	PRO	17	0.4	
1	2001	1023	2321	11.8DD	-42.773	-15.916	11.2	PRO	13	0.6	
1	2001	1024	0157	15.7DD	-23.811	141.625	0.1	PRO	14	0.4	
1	2001	1025	0651	49.2DD	-34.695	146.509	1.6	JOR	10	0.2	
1	2001	1025	1708	60.0 L	28.769	34.697	0.0	JOR	8	0.6	3.6CJOR
1	2001	1025	2029	1.8 L	28.932	34.720	9.0	JOR	4	0.4	2.6CJOR
1	2001	1026	1839	59.8 L	28.759	34.618	0.0	JOR	4	0.6	3.5CJOR
1	2001	1026	2025	1.2RR	35.367	32.546	68.0	PRO	15	0.4	4.2CPRO
1	2001	1027	1819	34.8 L	27.814	34.577	11.2	JOR	5	0.5	3.8CJOR
1	2001	1028	2021	53.7DD	-4.714	152.618	15.0	JOR	19	0.4	

1	2001	1029	0450	54.7	L	29.314	34.905	20.6	JOR	11	0.3	3.3	CJOR	
1	2001	1029	2018	34.0	DD	38.803	22.666	15.0	PRO	12	0.5			
1	2001	1029	2057	47.5	DD	-5.787	151.876	15.0	PRO	17	0.4			
1	2001	1030	1431	8.0	L	29.626	35.238	29.1	JOR	3	0.4	2.3	CJOR	
1	2001	1030	1533	21.4	DD	-38.596	133.920	15.0	PRO	13	0.4			
1	2001	1030	2056	57.5	RR	36.173	29.608	40.0	PRO	18	0.3	5.1	CPRO	
1	2001	1031	0428	47.1	DD	-5.120	152.341	15.0	PRO	15	0.4			
1	2001	1031	1230	42.5	DD	37.038	36.840	8.9	PRO	20	1.6	5.6	CPRO	
1	2001	1031	1229	42.4	RR	41.397	36.610	0.0	PRO	16	0.8	5.8	CPRO	
1	2001	1031	2202	14.0	DD	2.755	93.974	677.3	PRO	14	0.5			
1	2001	11	1	2054	25.0	RR	34.514	32.086	1.7	JOR	9	0.3	5.2	CJOR
1	2001	11	2	0756	39.6	RR	28.678	32.809	33.4	JOR	5	0.4	3.8	CJOR
1	2001	11	2	2204	24.1	DD	29.886	43.622	0.0	PRO	15	0.7		
1	2001	11	2	2214	16.5	DD	3.474	126.693	5.2	PRO	11	0.2		
1	2001	11	4	1636	2.5	DD	29.041	49.005	15.0	PRO	13	0.5		
1	2001	11	4	1720	7.4	RR	34.454	24.817	100.3	PRO	17	0.4	5.4	CPRO
1	2001	11	4	2245	17.4	DD	-37.812	-165.999	15.0	JOR	9	0.2		
1	2001	11	5	0140	15.8	RR	36.494	31.123	40.1	PRO	16	0.4	4.5	CPRO
1	2001	11	5	1444	28.4	L	29.628	35.131	36.6	JOR	4	0.5	2.2	CJOR
1	2001	11	5	2303	47.7	DD	-1.330	155.698	15.0	PRO	21	0.4		
1	2001	11	7	0401	46.2	RR	28.029	34.648	0.0	PRO	12	0.5	4.0	CPRO
1	2001	11	7	0721	41.4	L	30.255	34.641	51.2	JOR	5	0.6	2.7	CJOR
1	2001	11	7	1607	42.6	DD	-20.645	147.412	15.0	PRO	12	0.1		
1	2001	11	7	1755	27.8	RR	35.201	27.351	359.7	PRO	6	0.4		
1	2001	11	8	0156	45.6	DD	70.772	-3.434	0.0	PRO	12	0.3		
1	2001	11	9	0251	28.1	RR	15.885	34.592	14.8	PRO	10	0.5		
1	2001	1110	0220	32.3	RR	34.828	32.064	40.2	PRO	19	0.7	4.4	CPRO	

1	2001	1111	0457	42.9RR	29.254	34.899	0.0	PRO	12	1.2	3.4C	PRO
1	2001	1113	1039	34.0DD	48.348	171.801	0.0	PRO	9	0.6		
1	2001	1114	0520	25.0 L	28.782	34.800	0.1	JOR	4	0.2	3.0C	JOR
1	2001	1114	0607	4.7 L	29.511	34.951	19.2	JOR	7	0.1	2.1C	JOR
1	2001	1114	0620	58.6 L	28.733	34.725	0.0	JOR	4	0.6	2.9C	JOR
1	2001	1114	0920	54.7DD	33.151	108.785	0.0	PRO	15	0.5		
1	2001	1114	0941	51.3DD	35.212	93.508	0.0	JOR	14	0.6		
1	2001	1114	1035	5.2 L	29.498	34.860	1.9	JOR	5	0.2	2.1C	JOR
1	2001	1114	1055	4.7DD	33.998	91.173	1.2	PRO	14	0.4		
1	2001	1115	0059	56.2DD	-0.273	-14.182	0.2	PRO	19	0.4		
1	2001	1116	0102	32.5DD	25.480	79.291700.0	0.0	PRO	8	0.4		
1	2001	1116	0458	15.1 L	28.358	34.710	0.0	JOR	8	0.4	3.1C	JOR
1	2001	1118	0056	41.1RR	38.933	21.490	14.9	PRO	14	0.3		
1	2001	1118	2155	37.1DD	35.050	101.974	7.0	PRO	17	0.4		
1	2001	1119	2013	41.1DD	20.849	14.157	15.0	PRO	13	0.6		
1	2001	1120	0738	36.8RR	30.317	34.292	8.8	PRO	20	0.5	3.4C	PRO
1	2001	1120	0752	16.2RR	30.309	34.188	13.9	PRO	15	0.5	3.3C	PRO
1	2001	1120	2044	54.8DD	50.661	-36.717536.7		PRO	9	0.5		
1	2001	1122	0243	42.0 L	31.394	35.500	31.8	JOR	6	0.2	2.2C	JOR
1	2001	1122	0413	16.5DD	-33.074	-175.538	0.0	PRO	13	0.4		
1	2001	1122	1656	44.9DD	29.262	52.918	30.2	PRO	12	0.5		
1	2001	1123	2036	32.7 L	30.278	34.203	0.2	JOR	9	0.5	3.3C	JOR
1	2001	1123	2038	36.5DD	36.708	71.330	0.1	PRO	17	0.4		
1	2001	1124	0251	30.4DD	20.808	134.989	2.1	PRO	11	0.3		
1	2001	1124	0533	23.4DD	-1.795	82.938700.0		PRO	5	0.2		
1	2001	1125	0046	27.1RR	35.922	32.129	0.1	PRO	12	0.8	4.4C	PRO
1	2001	1125	2128	31.1DD	29.574	46.871	15.0	PRO	12	0.3		

1	2001	1126	0417	23.7RR	34.490	25.222620.1	PRO	12	0.9	
1	2001	1126	0456	16.2RR	41.479	9.435 1.5	PRO	15	0.8	
1	2001	1127	0050	40.7DD	-25.773	139.971 15.0	PRO	11	0.4	
1	2001	1127	0727	13.2DD	28.934	84.021 0.7	PRO	12	0.4	
1	2001	1127	0847	34.5DD	28.214	99.133 0.0	PRO	10	0.8	
1	2001	1127	2108	17.9RR	26.759	34.346 34.4	PRO	8	0.9	3.7C
1	2001	1127	2336	31.5DD	41.037	17.093 34.6	PRO	9	0.6	
1	2001	1128	1752	58.8DD	-12.567	128.662 15.0	PRO	7	0.5	
1	2001	12	2	0405	57.3RR	47.028 41.566 23.8	PRO	13	0.4	
1	2001	12	2	1305	39.0DD	47.145 78.465 15.0	PRO	16	0.7	
1	2001	12	2	1516	2.8 L	28.779 34.711 0.0	JOR	4	0.3	2.9C
1	2001	12	2	1659	44.8RR	40.741 49.664 0.6	PRO	16	0.5	
1	2001	12	2	1710	24.3 L	28.740 34.752 0.0	JOR	5	0.4	2.8C
1	2001	12	2	1727	39.9 L	29.322 34.940 0.0	JSO	10	0.2	2.9C
1	2001	12	3	0521	19.2 L	28.801 34.676 0.0	JOR	5	0.3	2.9C
1	2001	12	5	0301	32.0 L	29.429 34.912 12.3	JOR	4	0.4	2.3C
1	2001	12	5	1811	35.1 L	29.423 34.980 4.0	JOR	4	0.2	2.5C
1	2001	1210	1404	4.2 L	28.894	34.698 1.4	JOR	4	0.3	2.6C
1	2001	1210	1602	48.5 L	28.989	34.841 11.2	JOR	5	0.1	2.7C
1	2001	1210	1833	5.9DD	53.031	158.113656.1	JOR	12	0.3	
1	2001	1210	1945	36.7RR	36.621	24.808 0.0	PRO	15	0.6	5.5C
1	2001	1210	2003	47.5RR	54.194	7.836684.3	PRO	10	0.5	
1	2001	1214	0800	49.5RR	34.591	42.612 7.3	PRO	5	0.4	4.8C
1	2001	1217	0420	30.8RR	29.024	29.206 0.0	PRO	16	0.5	4.6C
1	2001	1217	1518	20.2RR	36.432	27.092 0.0	PRO	5	0.8	
1	2001	1218	0357	41.6DD	19.770	129.001 0.4	PRO	22	0.3	
1	2001	1219	0714	43.3RR	27.803	34.225 0.0	PRO	8	0.7	3.5C

2001 1231 0336 11.7RR 34.692 32.182 40.2 PRO 8 0.6 3.6CPRO
1